



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 10/520,356      | 01/04/2005  | Mami Uchida          | 450100-04674        | 5519             |

7590 08/29/2008  
William S Frommer  
Frommer Lawrence & Haug  
745 Fifth Avenue  
New York, NY 10151

|          |
|----------|
| EXAMINER |
|----------|

ANDRAMUNO, FRANKLIN S

|          |              |
|----------|--------------|
| ART UNIT | PAPER NUMBER |
|----------|--------------|

2623

|           |               |
|-----------|---------------|
| MAIL DATE | DELIVERY MODE |
|-----------|---------------|

08/29/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.



## **DETAILED ACTION**

### ***Response to Arguments***

2. Applicant's arguments filed 05/29/08 have been fully considered but they are not persuasive. Applicant has not specified explicitly what part of the provisional application was not present in the current invention. It is noted that the provisional application 60/337,473 includes a first display device (display on large screen (part A of specs)) as well as a second display device (small screen of handheld devices (part A of specs)). Moreover, a bidirectional communication exists between these devices (pda devices are able to synchronize to a PC and download video and audio content (part C of specs)). In addition, this handheld device is capable of transmitting control signals (the processed content is stored in a memory device to enable trick mode viewing (pause, rewind, fast forward, etc)) (part A of specs)). Therefore, this argument is not persuasive since the disclosure of the provisional 60/337473 supports the disclosure of the Cooper application 2004/0237104.

### ***Claim Rejections - 35 USC § 102***

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Art Unit: 2623

2. Claims 1-19 are rejected under 35 U.S.C. 102(e) as being unpatentable by Cooper et al (US 2004/0237104 A1). Hereinafter referred as Cooper.

Regarding claims 1, 13, and 18, Cooper discloses a picture display system, method and display apparatus including first **(Large Display (14) in figure 1)** and second display devices **(Handheld Personal Digital Assistant (25) in figure 1)** and a base device for supplying picture signals to at least said first display device **(Base (26) in figure 1)**, wherein said first display device includes a picture display unit for displaying said picture signals supplied from said base device **(Large Display (14) in figure 1)**; said second display device includes a display unit for displaying the display information for operation **(PDA (25) in figure 1)**, for accepting an operating input from a user, operating input accepting means for accepting an operating input from a user **(Remote Control device (12) in figure 1)**, operating signal generating means for generating operating signals conforming to display items of said display information for operation **(Generator (13) in figure 1)**, as specified by said operating input accepting means, and communication means for transmitting said operating signals to said base device **(Broadcast source (11) in figure 1)**; said base device including picture signal outputting means for outputting said picture signals at least to said first display device **(wireless transmitter (24) in figure 1)**, communication means for receiving said operating signals at least from said second display device **(USB port (23) in figure 1)**, external input device connecting means for connecting the base device to an external input device as a source of supply of said picture signals **(PDA (25) in figure 1)**, and control signal transmitting means for transmitting an external input device control

Art Unit: 2623

signal, controlling said external input device, based on said operating signal, to said external input device **(Tuner Control (17) in figure 1)**.

Regarding claims 2 and 19, Cooper discloses the picture display system display apparatus according to claims 1 and 18, wherein said operating input accepting means of said second display device includes contact position detection means for detecting a contact position on a display surface of said display unit adapted to be contacted by a user **(Frame Buffer (16) in figure 1)**; said operating signal generating means generating an operating signal conforming to a display item of said display information for operation displayed at a contact position on said display image surface detected by said contact position detection means **(Receiver (15) in figure 1)**.

Regarding claim 3, Cooper discloses the picture display system according to claim 1, wherein said communication means of said base device transmits at least a response signal to said operating signal to said display device **(Synchronizer (22) in figure 1)**; said communication means of said second display device receiving said response signal **(PDA (25) in figure 1)**.

Regarding claims 4 and 14, Cooper discloses the picture display system and method according to claims 1 and 13, wherein said base device further includes tuner means **(Tuner Control (17) in figure 1)** and sends picture signals selected by said tuner means based on said operating signal via said picture signal outputting means to said first display device **(Large Display decoder in figure 1)**.

Regarding claims 5 and 15, Cooper discloses the picture display system and method according to claims 1 and 13, wherein said first display device further includes

Art Unit: 2623

tuner means **(Tuner Control (17) in figure 1)** and displays picture signals selected by said tuner means based on an operating signal from said base device on said picture display unit **(Frame Buffer (16) in figure 1)**.

Regarding claim 6, Cooper discloses the picture display system according to claim 1, wherein said control signal transmitting means of said base device transmits said external input device control signal for said external input device over a wireless route **(Send to wireless device in figure 4)**.

Regarding claim 7, Cooper discloses the picture display system according to claim 6, wherein said control signal transmitting means of said base device converts the external input device control signal, transmitted over the wireless path, into infrared signals, which are output **(Send to handheld device via USB port in figure 4)**.

Regarding claims 8 and 16, Cooper discloses the picture display system and method according to claims 1 and 13, wherein said base device further includes receiving means connected to a communication network and adapted for receiving information signals transmitted through said communication network **(Synchronizer (22) in figure 1)**, and transmission control means for performing control for transmitting said information signals to a specified display device in case said operating signal is a transmission command for transmitting said information signals to said first display device and/or said second display device **(Large Display (14) and PDA (25) in figure 1)**.

Regarding claims 9 and 17, Cooper discloses the picture display system and method according to claims 1 and 13, wherein said base device further includes

Art Unit: 2623

transmission information transmitting means (**wireless transmitter (24) in figure 1**) which, in case said operating signal is the transmission information to be sent to a counterpart connected to said base device over said communication network, sends said transmission information over said communication network to the target counterpart (**PDA (25) in figure 1**).

Regarding claim 10, Cooper discloses The picture display system according to claim 1, wherein said display information for operation is transparently displayed on said display image surface (**Handheld format encoder (18) in figure 1**).

Regarding claim 11, Cooper discloses The picture display system according to claim 1, wherein said external input device connecting means is connected via an amplifier to said external input device as a source of supply of said image signals (**Receiver (15) in figure 1**).

Regarding claim 12, Cooper discloses the picture display system according to claim 1, wherein said second display device has an interlock/non-interlock function of selecting (**Frame Buffer (16) in figure 1**) whether or not picture signals supplied to said first display device are to be switched in association operatively with display contents of said display information for operation (**PVR CPU (21) in figure 1**).

### ***Conclusion***

2. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to FRANKLIN S. ANDRAMUNO whose telephone number is (571)270-3004. The examiner can normally be reached on Mon-Thurs (7:30am - 5:00pm) alternate Fri off (EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris Kelley can be reached on (571)272-7331. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2623

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Chris Kelley/  
Supervisory Patent Examiner, Art  
Unit 2623